

6 mm (1/4") Pump
Maximum Flow Rate:
18.9 lpm (5.0 gpm)

DIMENSIONAL DRAWING

P.025 Metal

DIMENSIONS

ITEM	METRIC (mm)	STANDARD (inch)
A	165	6.5
B	84	3.3
C	147	5.8
D	135	5.3
E	13	0.5
F	114	4.5
G	91	3.6
H	61	2.4
J	8	0.3
K	71	2.8
L	46	1.8

LW0348 REV. B

PUMP DATA

Specifications:

Ship Weight..... Aluminum 1.8 kg (4 lb)
 Stainless Steel 4.0 kg (8.9 lb)
 Hastelloy® 4.3 kg (9.5 lb)

Air Inlet 3 mm (1/8")

Liquid Inlet..... 6 mm (1/4")

Liquid Outlet..... 6 mm (1/4")

PERFORMANCE

PERFORMANCE

PERFORMANCE

P4 METAL PUMP

**38 mm (1-1/2") Pump
Maximum Flow Rate:
330 lpm (87.2 gpm)**

DIMENSIONAL DRAWINGS

P4 Metal

DIMENSIONS

ITEM	METRIC (mm)	STANDARD (inch)
A	368	14.5
B	64	2.5
C	206	8.1
D	429	16.9
E	138	5.4
F	320	12.6
G	211	8.3
H	262	10.3
J	224	8.8
K	150	5.9
L	178	7.0
M	51	2.0
N	10	0.4
P	338	13.3
R	224	8.8
S	155	6.1
T	193	7.6
U	48	1.9
V	13	0.5
W	91	3.6

LW0338 REV. A

PUMP DATA

P4 Metal - Saniflo™ FDA

Specifications:

Ship Weight..... Aluminum 13 kg (29 lb)
 316 Stainless Steel 20 kg (45 lb)
 Cast Iron 22 kg (49 lb)
 Alloy C 23 kg (51 lb)
 Air Inlet 19 mm (3/4")
 Liquid Inlet.....38 mm (1-1/2")
 Liquid Outlet.....32 mm (1-1/4")

DIMENSIONS

ITEM	METRIC (mm)	STANDARD (inch)
A	396	15.6
B	64	2.5
C	206	8.1
D	422	17.4
E	91	3.6
F	138	5.4
G	320	12.6
H	211	8.3
J	262	10.3
K	224	8.8
L	152	6.0
M	178	7.0
N	69	2.7
P	10	0.4

LW0339 REV. A

PERFORMANCE

P8 METAL PUMP

**51 mm (2") Pump
Maximum Flow Rate:
630 lpm (166 gpm)**

DIMENSIONAL DRAWINGS

P8 Metal

DIMENSIONS

ITEM	METRIC (mm)	STANDARD (inch)
A	404	15.9
B	48	1.9
C	356	14.0
D	630	24.8
E	668	26.3
F	58	2.3
G	61	2.4
H	348	13.7
J	343	13.5
K	231	9.1
L	257	10.1
M	257	10.1
N	312	12.3
P	15	0.6
R	64	2.5
S	51	2.0
T	282	11.1
U	58	2.3
V	279	11.0
W	396	15.6
X	15 DIA.	0.6 DIA.

LW0395 REV. A

PUMP DATA

P8 Metal - Saniflo™ FDA

Specifications:

Ship Weight..... Aluminum 32 kg (70 lb)
 316 Stainless Steel 51 kg (112 lb)
 Cast Iron 47 kg (104 lb)
 Alloy C 52 kg (114 lb)

Air Inlet 13 mm (1/2")

Liquid Inlet..... 51 mm (2")

Liquid Outlet..... 51 mm (2")

DIMENSIONS

ITEM	METRIC (mm)	STANDARD (inch)
A	409	16.1
B	64	2.5
C	348	13.7
D	625	24.6
E	665	26.2
F	76	3.0
G	343	13.5
H	345	13.6
J	305	12.0
K	254	10.0
L	229	9.0
M	254	10.0
N	15	0.6

LW0397 REV. A

PERFORMANCE
